*Brain Research*, 418 (1987) 409–411
Elsevier



# Author Index

Aguilar-Roblero, R., see García-Hernández, F., 193
Akaike, A., Ohno, Y., Sasa, M. and Takaori, S., Excitatory and inhibitory effects of dopamine on neuronal activity of the caudate nucleus neurons in vitro, 262
Akiyama, K., see Sutoo, D., 205
Amir, S. and Shechter, Y., Centrally mediated hypoglycemic effect of insulin: apparent involvement of specific insulin receptors, 152
Arai, H., Emson, P.C., Mountjoy, C.Q., Carassco, L.H. and Heizmann, C.W., Loss of parvalbumin-immunoreactive neurones from cortex in Alzheimer-type dementia, 164

Baron, S.A. and Gintzler, A.R., Effects of hypophysectomy and dexamethasone treatment on plasma $\beta$-endorphin and pain threshold during pregnancy, 138
Barr, G.A., Eckenrode, T.C. and Murray, M., Normal development and effects of early deafferentation on choline acetyltransferase, substance P and serotonin-like immunoreactivity in the interpeduncular nucleus, 301
Barr, G.A., see Eckenrode, T.C., 273
Battisti, W.P., Levin, B.E. and Murray, M., Norepinephrine in the interpeduncular nucleus of the rat: normal distribution and the effects of deafferentation, 287
Battisti, W.P., see Eckenrode, T.C., 273
Bidard, J.-N., Gandolfo, G., Mourre, C., Gottesmann, C. and Lazdunski, M., The brain response to the bee venom peptide MCD. Activation and densensitization of a hippocampal target, 235
Blessing, W.W., see Willoughby, J.O., 170
Bloedel, J.R., see Rea, G.L., 58
Bloom, M.M., see Iuvone, P.M., 314
Boatright, J.H., see Iuvone, P.M., 314
Brand, J.G., see Kalinoski, D.L., 34
Bruce, J.L., see Gorenstein, C., 68
Bruch, R.C., see Kalinoski, D.L., 34
Bundman, M.C., see Gorenstein, C., 68

Carassco, L.H., see Arai, H., 164
Carpenter, M.B., Chang, L., Pereira, A.B. and Hersch, L.B., Comparisons of the immunocytochemical localization of choline acetyltransferase in the vestibular nuclei of the monkey and rat, 403
Chang, L., see Carpenter, M.B., 403
Charlton, C.G. and Helke, C.J., Substance P-containing medullary projections to the intermediolateral cell column: identification with retrogradely transported rhodamine-labeled latex microspheres and immunohistochemistry, 245
Chida, K., see Iwata, J., 183
Cobbey, K., see Marks, G.A., 76
Cohen, L.B., see Kauer, J.S., 255
Cotman, C.W., see Harris, E.W., 361
Cross, A.J., Hille, C. and Slater, P., Subtraction autoradiography of opiate receptor subtypes in human brain, 343
Cupo, A., see Eybalin, M., 189

Douglas, R., Kellaway, L., Mintz, M. and Van Wageningen, G., The crossed nigrostriatal projection decussates in the ventral tegmental decussation, 111
Drucker-Colín, R., see García-Hernández, F., 193
Dutar, P., Rascol, O., Jobert, A. and Lamour, Y., Modulation of the excitability of septohippocampal terminals in the rat: relation to neural discharge rate, 98

Ebner, T.J., see Rea, G.L., 58
Eckenrode, T.C., Barr, G.A., Battisti, W.P. and Murray, M., Acetylcholine in the interpeduncular nucleus of the rat: normal distribution and effects of deafferentation, 273
Eckenrode, T.C., see Barr, G.A., 301
Emson, P.C., see Arai, H., 164
Eybalin, M., Rebillard, G., Jarry, T. and Cupo, A., Effect of noise level on the Met-enkephalin content of the guinea pig cochlea, 189

Fujita, Y., see Ujihara, H., 52

Gandolfo, G., see Bidard, J.-N., 235
García-Hernández, F., Aguilar-Roblero, R. and Drucker-Colín, R., Transplantation of the fetal occipital cortex to the third ventricle of SCN-lesioned rats induces a diurnal rhythm in drinking behavior, 193
Ghignone, M., see Gillon, J.-Y., 157
Gillon, J.-Y., Quintin, L., Ghignone, M. and Pujol, J.-F., Clonidine modulates the ventrolateral medullary catechol metabolic hyperactivity induced by hypotension, 157
Gintzler, A.R., see Baron, S.A., 138
Go, V.L.W., see Schick, R.F., 20
Gorenstein, C., Bundman, M.C., Bruce, J.L. and Rotter, A., Neuronal localization of pseudocholinesterase in the rat cerebellum: sagittal bands of Purkinje cells in the nodulus and uvula, 68
Gottesmann, C., see Bidard, J.-N., 235
Gremoli, T., see Petrosini, L., 398

Hall, E.D., see Travis, M.A., 366
Harris, E.W., Stevens, D.R. and Cotman, C.W., Hippocampal cells primed with quisqualate are depolarized by AP4 and AP6, ligands for a putative glutamate uptake site, 361
Hattori, T., see Takada, M., 27
Hattori, T., see Takada, M., 129
Hayakawa, T., see Matsuyama, T., 325
Heizmann, C.W., see Arai, H., 164
Helke, C.J., see Charlton, C.G., 245
Henry, J.M., Joseph, J.A., Kochman, K. and Roth, G.S., Effect of aging on striatal dopamine receptor subtype recovery following *N*-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline blockade and relation to motor function in Wistar rats, 334
Hersch, L.B., see Carpenter, M.B., 403
Hille, C., see Cross, A.J., 343

Igarashi, M., see Usami, S.-I., 383
Inagaki, N., Yamatodani, A., Shinoda, K., Shiotani, Y., Tohyama, M., Watanabe, T. and Wada, H., The histaminergic innervation of the mesencephalic nucleus of the trigeminal nerve in rat brain: a light and electron microscopical study, 388

Ishise, J. and Rosenbluth, J., Nodal and paranodal structure during Wallerian degeneration in frog spinal nerve, 85
Iuvone, P.M., Boatright, J.H. and Bloom, M.M., Dopamine mediates the light-evoked suppression of serotonin *N*-acetyltransferase activity in retina, 314
Iwata, J., Chida, K. and LeDoux, J.E., Cardiovascular responses elicited by stimulation of neurons in the central amygdaloid nucleus in awake but not anesthetized rats resemble conditioned emotional responses, 183

Jancsó, G. and Maggi, C.A., Distribution of capsaicin-sensitive urinary bladder afferents in the rat spinal cord, 371
Jarry, T., see Eybalin, M., 189
Jobert, A., see Dutar, P., 98
Joseph, J.A., see Henry, J.M., 334

Kalinoski, D.L., Bruch, R.C. and Brand, J.G., Differential interaction of lectins with chemosensory receptors, 34
Kamada, T., see Matsuyama, T., 325
Kanagawa, Y., see Matsuyama, T., 325
Kauer, J.S., Senseman, D.M. and Cohen, L.B., Odor-elicited activity monitored simultaneously from 124 regions of the salamander olfactory bulb using a voltage-sensitive dye, 255
Kavaliers, M., see Ossenkopp, K.-P., 356
Kellaway, L., see Douglas, R., 111
Khan, S.U., see Ribak, C.E., 146
Kimura, K., see Matsuyama, T., 325
Kochman, K., see Henry, J.M., 334
Krall, S., see Paden, C.M., 349
Kruk, M.R., see Lammers, J.H.C.M., 1
Kuhr, W.G., Wightman, R.M. and Rebec, G.V., Dopaminergic neurons: simultaneous measurements of dopamine release and single-unit activity during stimulation of the medial forebrain bundle, 122

Lammers, J.H.C.M., Meelis, W., Kruk, M.R. and Van der Poel, A.M., Hypothalamic substrates for brain stimulation-induced grooming, digging and circling in the rat, 1
LaMotte, R.H., see Simone, D.A., 201
Lamour, Y., see Dutar, P., 98
Lau, C., see Levitt, P., 174
Lazdunski, M., see Bidard, J.-N., 235
LeDoux, J.E., see Iwata, J., 183
Levin, B.E., see Battisti, W.P., 287
Levitt, P., Lau, C., Pylypiw, A. and Ross, L.L., Central adrenergic receptor changes in the inherited noradrenergic hyperinnervated mutant mouse tottering, 174
Lynch, G., see Roman, F., 221
Lynch, W.C., see Paden, C.M., 349

Maggi, C.A., see Jancsó, G., 371
Majewska, M.D., Antagonist-type interaction of glucocorticoids with the GABA receptor-coupled chloride channel, 377
Marks, G.A., Speciale, S.G., Cobbey, K. and Roffwarg, H.P., Serotonergic inhibition of the dorsal lateral geniculate nucleus, 76
Matsuyama, T., Wanaka, A., Kanagawa, Y., Yoneda, S., Kimura, K., Hayakawa, T., Kamada, T. and Tohyama, M., Two discrete enkephalinergic neuron systems in the superior cervical ganglion of the guinea pig: an immunoelectron microscopic study, 325
Meelis, W., see Lammers, J.H.C.M., 1
Mintz, M., see Douglas, R., 111
Mizuno, N., see Sugimoto, T., 392
Mountjoy, C.Q., see Arai, H., 164
Mourre, C., see Bidard, J.-N., 235
Mucha, R.F., Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat, 214
Murray, M., see Barr, G.A., 301
Murray, M., see Battisti, W.P., 287
Murray, M., see Eckenrode, T.C., 273

Ngeow, J.Y.F., see Simone, D.A., 201

Ohno, Y., see Akaike, A., 262
Ossenkopp, K.-P. and Kavaliers, M., Morphine-induced analgesia and exposure to low-intensity 60-Hz magnetic fields: inhibition of nocturnal analgesia in mice is a function of magnetic field intensity, 356

Paden, C.M., Krall, S. and Lynch, W.C., Heterogeneous distribution and upregulation of $\mu$, $\delta$ and $\kappa$ opioid receptors in the amygdala, 349
Pan-Hou, H. and Suda, Y., Molecular action mechanisms of spider toxin on glutamate receptor: role of 2,4-dihydroxyphenylacetic acid in toxin molecule, 198
Pereira, A.B., see Carpenter, M.B., 403
Petrosini, L. and Gremoli, T., Spontaneous eye motility following a unilateral vestibular lesion, 398
Pujol, J.-F., see Gillon, J.-Y., 157
Putterman, G.J., see Simone, D.A., 201
Pylypiw, A., see Levitt, P., 174

Quintin, L., see Gillon, J.-Y., 157

Rascol, O., see Dutar,P., 98
Rea, G.L., Ebner, T.J., and Bloedel, J.R., Evaluations of combined premotor and supplementary motor cortex lesions on a visually guided arm movement, 58
Rebec, G.V., see Kuhr, W.G., 122
Rebillard, G., see Eybalin, M., 189
Reilly, W.M., see Schick, R.F., 20
Ribak, C.E. and Khan, S.U., The effects of knife cuts of hippocampal pathways on epileptic activity in the seizure-sensitive gerbil, 146
Roberts Jr., E.L., see Sick, T.J., 227
Robison, B.L. and Sawyer, C.H., Hypothalamic control of ovulation and behavioral estrus in the cat, 41
Roddy, D.R., see Schick, R.F., 20
Roffwarg, H.P., see Marks, G.A., 76
Roman, F., Staubli, U. and Lynch, G., Evidence for synaptic potentiation in a cortical network during learning, 221
Rosenbluth, J., see Ishise, J., 85
Ross, L.L., see Levitt, P., 174
Roth, G.S., see Henry, J.M., 334
Rotter, A., see Gorenstein, C., 68

Sasa, M., see Akaike, A., 262
Sasa, M., see Ujihara, H., 52
Sawyer, C.H., see Robison, B.L., 41
Schick, R.F., Reilly, W.M., Roddy, D.R., Yaksh, T.L. and Go, V.L.W., Neuronal cholecystokinin-like immunoreactivity is postprandially released from primate hypothalamus, 20
Senseman, D.M., see Kauer, J.S., 255
Shechter, Y., see Amir, S., 152
Shinoda, K., see Inagaki, N., 388

Shiotani, Y., see Inagaki, N., 388
Sick, T.J., Solow, E.L. and Roberts Jr., E.L., Extracellular potassium ion activity and electrophysiology in the hippocampal slice: paradoxical recovery of synaptic transmission during anoxia, 227
Simone, D.A., Ngeow, J.Y.F., Putterman, G.J. and LaMotte, R.H., Hyperalgesia to heat after intradermal injection of capsaicin, 201
Slater, P., see Cross, A.J., 343
Solow, E.L., see Sick, T.J., 227
Speciale, S.G., see Marks, G.A., 76
Staubli, U., see Roman, F., 221
Stevens, D.R., see Harris, E.W., 361
Suda, Y., see Pan-Hou, H., 198
Sugimoto, T. and Mizuno, N., Quinolinic and kainic acids can enhance calcitonin gene-related peptide-like immunoreactivity in striatal neurons with substance P-like immunoreactivity, 392
Sutoo, D., Akiyama, K. and Takita, H., The relationship between metal ion levels and biogenic amine levels in epileptic mice, 205
Takada, M. and Hattori, T., Organization of ventral tegmental area cells projecting to the occipital cortex and forebrain in the rat, 27
Takada, M. and Hattori, T., The rat striatum: a target nucleus for ascending axon collaterals of the entopedunculo-habenular pathway, 129
Takaori, S., see Akaike, A., 262
Takaori, S., see Ujihara, H., 52
Takita, H., see Sutoo, D., 205
Thompson, G.C., see Usami, S.-I., 383
Tohyama, M., see Inagaki, N., 388
Tohyama, M., see Matsuyama, T., 325
Travis, M.A. and Hall, E.D., The effects of chronic two-fold dietary vitamin E supplementation on subarachnoid hemorrhage-induced brain hypoperfusion, 366

Ujihara, H., Sasa, M., Fujita, Y. and Takaori, S., Opiod-mediated inhibition from the subnucleus caudalis of spinal trigeminal nucleus to the neurons in the subnucleus oralis, 52
Usami, S.-I., Igarashi, M. and Thompson, G.C., GABA-like immunoreactivity